

**ORDINANCE NO. 2020.11-24**

**AN ORDINANCE AMENDING SUBSECTION 260-23 OF THE MUNICIPAL CODE OF THE VILLAGE OF SALEM LAKES RELATING TO STORM WATER MANAGEMENT REQUIREMENTS.**

The Village Board of the Village of Salem Lakes, Kenosha County, Wisconsin, does hereby ordain as follows:

SECTION 1. Purpose. The purpose of this ordinance is to amend certain provisions of the Municipal Code applicable to storm water management requirements.

SECTION 2. Section 260-23 D.(2)(d)[1] Amended. Section 260-23 D.(2)(d)[1] of the Salem Lakes Municipal Code is amended to provide as follows:

[1] By design, BMPs shall be employed to maintain or reduce the two-year, ten-year and one hundred-year, twenty-four-hour, post-construction peak runoff discharge rates to the two-year, ten-year and one hundred-year, twenty-four-hour, predevelopment peak runoff discharge rates, respectively, or to the maximum extent practicable.

SECTION 3. Severability. Each section, subsection, paragraph, sentence, clause, phrase and provision of the foregoing ordinance is and the same is hereby declared to be severable and if any portion or provision thereof is duly determined to be invalid for any reason, such determination shall not invalidate any other portion or provision thereof.

SECTION 4. Effective Date. This ordinance shall take effect and be enforced from and after publication and posting as required by law.

**Adopted** by the Village Board of the Village of Salem Lakes, Kenosha County, Wisconsin, this 9<sup>th</sup> day of November, 2020.

  
\_\_\_\_\_  
Diann Tesar, President

Attest:  
  
\_\_\_\_\_  
Shannon Hahn, Clerk

Voted Aye	<u>7</u>
Voted Nay	<u>0</u>
Abstain	<u>0</u>
Absent	<u>0</u>